(19) World Intellectual Property Organization International Bureau

NIPO OMPL

(43) International Publication Date 18 January 2001 (18.01.2001)

PCT

(10) International Publication Number WO 01/03513 A1

(51) International Patent Classification⁷: 3/02, 3/30, A23L 1/236

A23G 3/00,

(21) International Application Number: PCT/EP00/06016

(22) International Filing Date: 28 June 2000 (28.06.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

9915883.4

8 July 1999 (08.07.1999) GE

- (71) Applicant (for all designated States except US): CER-ESTAR HOLDING B.V. [NL/NL]; Nijverheidsstraat 1, P.O. Box 9, NL-4551 LA Sas van Gent (NL).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): GONZE, Michel, Henri, André [BE/BE]; Avenue de Forum 15, bte 30, B-1020 Bruxelles (BE). VAN DER SCHUEREN, Freddy, Maurits, Luc [BE/BE]; P. Corneliskaai 29, B-9300 Aalst (BF)
- (74) Agent: WILKINSON, Stephen, John; Stevens, Hewlett & Perkins, 1 St. Augustine's Place, Bristol BS1 4UD (GB).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

03513 A1

(54) Title: PREPARATION OF SUGAR-FREE HARD CANDY

(57) Abstract: The present invention discloses a syrup at dry substance between 60 % to 80 % consisting of a mixture of hydrogenated starch hydrolysate syrup and isomalt powder or isomalt syrup wherein the dry substance of the hydrogenated starch hydrolysate syrup comprises between 22 % w/w and 55 % w/w higher polyols, preferably between 25 % w/w and 50 % w/w higher polyols. Non-sticky, non-hygroscopic and non-cariogenic sugar-free hard candies comprising aforementioned syrup and the corresponding process are disclosed.

WO 01/03513 PCT/EP00/06016

Preparation of Sugar-free Hard candy

Technical field

The present invention relates to mixtures consisting of hydrogenated starch hydrolysate syrup and isomalt powder or isomalt syrup. The dry substance of the hydrogenated starch hydrolysate syrup comprises between 22% w/w and 55% w/w higher polyols. The present invention also discloses a process for producing sugar-free hard candies. In addition, a new type of sugar-free hard candies is disclosed. The candies are non-hygroscopic, non-sticky, non-cariogenic and show excellent mass viscosity.

Background of the invention

Recent developments in hard candy manufacture have been the replacement of part or all of the sugar by a sugar alcohol (polyol) in the interest of providing a product having a reduced calorie content and a lower tendency to cause tooth decay. Among the polyols, which have been proposed for the manufacture of hard candy, are isomalt, maltitol, xylitol, erythritol and others.

EP 0 533 334 describes a process for the production of hard candy characterised in that the maltitol content of the sugar alcohol mixture is more than 77% but less than 86% by weight based on dry substance. When the mixture contains 77% or less maltitol the resultant candies become increasingly hygroscopic and sticky, while when the mixture contains 86% and higher maltitol the candies rapidly become opaque as a result of the maltitol crystallisation.

EP 0 611 527 describes a controlled propagation of crystallisation of maltitol in hard candies by applying molecules of molecular weight greater than 1,300 Dalton, preferably greater than 2,000 Dalton and more preferably greater than 3,000 Dalton. Preferably syrups comprising more than 78% maltitol are applied, since syrups comprising less than 60% maltitol give unsatisfactory results in respect to hygroscopicity, cariogenicity and unsuitable application.

US 4,971,798 describes a hydrogenated isomaltulose based hard confection which contains, in addition to the hydrogenated isomaltulose, a medicinal active ingredient. Such a formulation has been found to dissolve more slowly than similar formulations

based on sugar, rendering them suitable for dispensing the active ingredient over an extended period time.

Furthermore, it is common general knowledge that hard candies based on hydrogenated isomaltulose are non-hygroscopic but the mass viscosity of hard candies based on hydrogenated isomaltulose is low.

WO 97/30598 describes a sweetener consisting of especially 6-O-α-D-glucopyranosyl-D-sorbitol (1,6 GPS), 1-O-α-D-glucopyranosyl-D-sorbitol (1,1 GPS) and 1-O-α-D-glucopyranosyl-D-mannitol (1,1 GPM), and the use of this sweetener in hard and soft caramels, especially pharmaceutically active caramels. The presence of 1-O-α-D-glucopyranosyl-D-sorbitol (1,1 GPS) results in candies with improved solubility, higher sweetness and lower ability to crystallise, but hard candies based on these hydrogenated isomerised saccharose syrups have even lower mass viscosity than the hard candies based on hydrogenated isomaltulose.

Fritzsching, in The Manufacturing Confectioner Vol 75, No. 11, 1995, pages 65 – 73, describes isomalt in hard candy applications. He demonstrates that the hard candies prepared with 80% isomalt and 20% of a hygroscopic polyol have a higher hygroscopicity than hard candies prepared with pure isomalt. If isomalt is blended with hygroscopic polyols or bulking agents a more excessive packaging like twist wrapping is required. Due to their slight stickiness, loose packing in boxes is not possible.

DE 4228278 discloses a fondant and its production process. The sugar-free fondant comprises 75 to 90% w/w disaccharide alcohol and 10 to 25% w/w of water. The fondant is used in particular as icing agent, and for fillings of pralines. The disaccharide alcohol can be isomalt, maltitol and the like.

EP 0500977 relates to body and mouthfeel potentiated foods and beverages containing neohesperidin dihydrochalcone and a process for preparing them. It describes the flavour and sweetness profile when applying neohesperidin dihydrochalcone.

EP 0788744 relates to de-lactose milk and de-lactose milk powder which are reconstructed with milk proteins and milk fats as major components free or almost free of lactose. Furthermore, the invention relates to foodstuffs containing de-lactose milk and/or de-lactose milk powder. When the de-lactose milk and the de-lactose milk powder are

used for the sugar-less foodstuffs, one or more sugar alcohols selected from the group consisting of lactitol, palatinit and maltitol may preferably be used as a sweetener.

A process for producing hard candies comprises preparation of syrups, cooking at elevated temperature and shaping including a cooling phase. The mass viscosity of the hot (temperature > 90°C) syrups is determining the workability and the processing time of the cooling phase. Applying low viscous syrups results during the cooling phase of the shaping of hard candies in a very liquid mass, which needs a considerably long processing time before the mass can be shaped in moulds.

Accordingly, there is a need for highly viscous syrups which are non-hygroscopic and which can be used for the preparation of i.e. sugar-free non-hygroscopic, non-sticky and non-cariogenic hard candies. Applying high viscous syrups shortens the processing time of the cooling phase considerably and it results in an economical advantageous process.

Summary of the invention

The present invention discloses a syrup at dry substance between 60% to 80%, preferably at dry substance of about 70% consisting of a mixture of hydrogenated starch hydrolysate syrup and isomalt powder or isomalt syrup characterised in that the dry substance of the syrup comprises 86% w/w isomalt, preferably between 85% w/w and 79% w/w isomalt, more preferably 75% w/w isomalt, and the dry substance of the hydrogenated starch hydrolysate syrup comprises between 22% w/w and 55% w/w higher polyols, preferably between 25% w/w and 50% w/w higher polyols.

The present invention further discloses a syrup wherein the dry base of the syrup consists of between:

7 % w/w to 52% w/w 6-O-α-D-glucopyranosyl-D-sorbitol (1,6 GPS),

24.5% w/w to 52% w/w 1-O-α-D-glucopyranosyl-D-mannitol (1,1 GPM),

0% w/w to 52% w/w 1-O-α-D-glucopyranosyl-D-sorbitol (1,1 GPS),

0% w/w to 1.3% w/w sorbitol (DP1),

- 2.8% w/w to 13.8% w/w maltitol (DP2),
- 1.5% w/w to 4.2% w/w maltotriitol (DP3).
- 3.0% w/w to 13.5% w/w higher polyols (DPn).

These syrups are used for the preparation of sugar-free hard candies, which are transparent, non-hygroscopic, non-cariogenic and non-sticky.

The present invention further relates to a sugar-free non-cariogenic hard candy with a mass viscosity of at least 25,000 mPa.s, and a candy surface stickiness below 180 g (50% RH, 22-23°C) and a moisture pick-up (hygroscopicity at 70% R.H and 25°C) after 14 days below 1.5%.

The current invention relates to a process for the production of a sugar-free noncariogenic hard candy comprising the following steps:

- a) preparing a syrup at dry substance between 60% to 80% consisting of a mixture of hydrogenated starch hydrolysate syrup and isomalt powder or isomalt syrup characterised in that the dry substance of the syrup comprises 86% w/w isomalt, preferably between 85% w/w and 79% w/w isomalt, more preferably 75% w/w isomalt, and the dry substance of the hydrogenated starch hydrolysate syrup comprises between 22% w/w and 55% w/w higher polyols, preferably between 25% w/w and 50% w/w higher polyols,
- b) cooking at a temperature between 145°C and 170°C and low vacuum, and
- c) shaping according to stamping or deposit method.

The current invention further relates to a process wherein flavour and/or colouring matter is added during shaping.

The current invention discloses a process wherein the syrup comprises between 10 to 35% by weight water.

The current invention further relates to a process wherein the water content of the hard candy is less than 4% by weight, preferably less than 2% by weight or less, based upon the weight of the hard candy.

Non-sticky, non-hygroscopic and non-cariogenic sugar-free hard candies are obtained.

Brief description of the drawings

Figure 1 shows the mass viscosity profile of the hard candies prepared with C☆ Maltidex C16510, which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (C☆ Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols)-△-), which is compared to the mass viscosity of hard candies prepared from hydrogenated isomaltulose (C☆ Maltidex C16500,...), respectively.

Figure 2 shows the hygroscopicity (at 70% relative humidity, and 25°C) of hard candies prepared with hydrogenated isomaltulose (C☆ Maltidex C16500, -□-), hydrogenated starch hydrolysate syrup (C☆ Maltidex M16311, -o-), and (C☆ Maltidex C16510, which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (C☆ Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols) -△-), respectively.

Figure 3 shows the telemetric evaluation of hard candies prepared with C\$\pm\$ Maltidex C16510 (which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (C\$\pm\$ Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols) followed by sucrose intake.

Detailed description of the invention

The present invention discloses a syrup at dry substance between 60% to 80%, preferably at dry substance of about 70% consisting of a mixture of hydrogenated starch hydrolysate syrup and isomalt powder or isomalt syrup characterised in that the dry substance of the syrup comprises 86% w/w isomalt, preferably between 85% w/w and 79% w/w, more preferably 75% w/w isomalt, and the dry substance of the hydrogenated starch hydrolysate syrup comprises between 22% w/w and 55% w/w higher polyols, preferably between 25% w/w and 50% w/w higher polyols.

The syrups can be obtained by hydrogenating mixtures of starch hydrolysates and isomaltulose or 'isomerised' saccharose, or by mixing the hydrogenated products, which

are obtained by hydrogenation of starch hydrolysate and isomaltulose and 'isomerised' saccharose, respectively, until the aforementioned composition is obtained.

Starch hydrolysates are obtained by the enzymatic or acidic hydrolysis of starch and the starch hydrolysate comprises glucose, maltose, maltotriose, and higher glucose oligomers ((DPn where n = >3). A suitable starch hydrolysate comprises between 22% w/w and 55% w/w higher oligomers, preferably between 25% w/w and 50% w/w higher oligomers.

The dry substance of a typical suitable starch hydrolysate syrup consists of:

glucose:

1 - 5% w/w

maltose:

20 - 55% w/w

maltotriose:

11- 16.6% w/w

higher oligomers:

22 - 54% w/w

Isomaltulose or 6-O- α -D-glucopyranosyl-D-fructofuranose is synthesised from sucrose by the action of an enzyme present in bacterial strains like *Protaminobacter* rubrum, *Erwinia* rhapontici and *Serratia* plymuthica.

'Isomerised' saccharose is obtained by enzymatic conversion of saccharose (i.e. sucrose) into a saccharide mixture, which is containing trehalulose and isomaltulose.

Hydrogenation of the mixtures of starch hydrolysate and isomaltulose or 'isomerised saccharose results in mixtures comprising sorbitol, maltitol, maltotriitol, and hydrogenated oligomers (higher polyols), 6-O- α -D-glucopyranosyl-D-sorbitol (1,6 GPS), and 1-O- α -D-glucopyranosyl-D-mannitol (1,1 GPM), and 1-O- α -D-glucopyranosyl-D-sorbitol (1,1 GPS).

The components such as sorbitol, maltitol, maltotriitol, and hydrogenated oligomers (higher polyols) are obtained by the hydrogenation of starch hydrolysate syrups. The other components such as 6-O- α -D-glucopyranosyl-D-sorbitol (1,6 GPS), and 1-O- α -D-glucopyranosyl-D-mannitol (1,1 GPM), and 1-O- α -D-glucopyranosyl-D-sorbitol (1,1 GPS) are obtained by hydrogenation of isomaltulose and 'isomerised' saccharose.

Hydrogenation of a starch hydrolysate syrup can give a typical composition wherein the dry substance consists of 52.3 – 53.6% w/w maltitol, 3.3-3.9% w/w sorbitol,

15.6 – 16.6% w/w (maltotriitol) and 26.4-28.1% w/w higher polyols (hydrogenated oligomers), and the dry substance is 70%. Whenever the dry substance of the syrup contains at least 50% w/w DP₂, the syrup is defined as a maltitol syrup.

Isomalt powder is hydrogenated isomaltulose powder and can be obtained by the hydrogenation of isomaltulose which results in a quasi-equimolar mixture of 6-O- α -D-glucopyranosyl-D-sorbitol (1,6 GPS), and 1-O- α -D-glucopyranosyl-D-mannitol (1,1 GPM). A more typical composition consists of 52.6 – 53.6% w/w 6-O- α -D-glucopyranosyl-D-sorbitol (1,6 GPS), and 44.7 – 46.6% w/w 1-O- α -D-glucopyranosyl-D-mannitol (1,1 GPM).

Isomalt syrup is hydrogenated 'isomerised saccharose' which can be prepared according to a method as is described in EP 0 625 578, and the dry substance of the syrup comprises a mixture of 10% w/w to 50% w/w 6-O-α-D-glucopyranosyl-D-sorbitol (1,6 GPS), 35% w/w to 60% w/w 1-O-α-D-glucopyranosyl-D-mannitol (1,1 GPM) and 2% w/w to 60% w/w 1-O-α-D-glucopyranosyl-D-sorbitol (1,1 GPS).

The dry substance of a more typical composition, obtained after the hydrogenation of 'isomerised' saccharose, comprises 43.6% w/w 6-O- α -D-glucopyranosyl-D-sorbitol (1,6 GPS), 49.2% w/w 1-O- α -D-glucopyranosyl-D-mannitol (1,1 GPM) and 3.1% w/w 1-O- α -D-glucopyranosyl-D-sorbitol (1,1 GPS).

The present invention discloses a syrup and the dry substance thereof is consisting of between 14% - 25% w/w hydrogenated starch hydrolysate syrup (dry substance) and between 75% - 86% w/w isomalt and it has the following composition:

7 % w/w to 52% w/w 6-O- α -D-glucopyranosyl-D-sorbitol (1,6 GPS),

24.5% w/w to 52% w/w 1-O-α-D-glucopyranosyl-D-mannitol (1,1 GPM),

0% w/w to 52% w/w 1-O-α-D-glucopyranosyl-D-sorbitol (1,1 GPS),

0% w/w to 1.3% w/w sorbitol (DP1),

2.8% w/w to 13.8% w/w maltitol (DP2),

1.5% w/w to 4.2% w/w maltotriitol (DP3),

3.0% w/w to 13.5% w/w higher polyols (DPn).

A typical composition of the current invention, i.e. C\$\pi\$ Maltidex C16510 refers to 70/30 isomalt/hydrogenated starch hydrolysate mixture and is which is a syryp at 70% dry substance and consisting of 70% hydrogenated isomaltulose powder (C\$\pi\$ Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols) The dry substance of C\$\pi\$ Maltidex C16510 has the following composition:

DP₁:

0.7 - 1.0 % w/w

DP₂:

10 - 12% w/w

DP₃:

2.4 - 4.4% w/w

DP_n:

4.6 - 6.6 % w/w

1,6 GPS:

41.5 - 42.3 % w/w

1,1 GPM:

35.3 - 36.8 % w/w

These syrups are used for the preparation of sugar-free hard candies, which are transparent, non-hygroscopic, non-cariogenic and non-sticky.

The current invention relates to a process for the production of a sugar-free noncariogenic hard candy comprising the following steps:

- a) preparing a syrup at dry substance between 60% to 80% consisting of a mixture of hydrogenated starch hydrolysate syrup and isomalt powder or isomalt syrup characterised in that the dry substance of the syrup comprises 86% w/w isomalt, preferably between 85% w/w and 79% w/w isomalt, more preferably 75% w/w isomalt, and the dry substance of the hydrogenated starch hydrolysate syrup comprises between 22% w/w and 55% w/w higher polyols, preferably between 25% w/w and 50% w/w higher polyols,
- b) cooking at a temperature between 145°C and 170°C and low vacuum, and
- c) shaping according to stamping or deposit method.

Production of the hard candies may be carried out in batch evaporators or in continuous cookers and the process time at elevated temperature generally being up to 15 minutes, preferably in the range 5 to 10 minutes.

The process used to produce hard candies from maltitol containing syrups customarily operates at a temperature between 145°C and 170°C, preferably between 150°C and 160°C. At these temperatures it is preferable to apply a low vacuum, suitably 0.6 to 0.8 bar at the end of the heating period to facilitate water removal. The shaping of the hard candies is performed according to either one of the classically applied methods, being the 'stamping' method and the 'depositing' method, respectively. In the 'stamping' method the cooked mass is cooled to 90°C or 100°C, and eventually colour, flavour and acid are mixed in. Then the mass is further cooled to 60°C or 70°C for shaping. After further cooling the candies are wrapped. In the 'depositing' method the cooked mass is cooled to 110°C or 120°C, and eventually colour, flavour and acid are mixed in. The hot mass is dosed in moulds, further cooled and demoulded afterwards. The current invention further relates to a process wherein flavour and/or colouring matter can be added during shaping.

After further cooling, the hard candies can be wrapped. The obtained sugar-free hard candies, which are transparent, non-hygroscopic, non-cariogenic can be loose packed in boxes due to their non-stickiness.

In each method, the heating phase is followed by a cooling phase and by applying more viscous mixtures (i.e. high mass viscosity) the workability is improved, the processing time of the cooling phase is shortened, and the final viscosity is reached sooner. In principle the processing time of the cooling phase is easily reduced with one quarter of the total time compared to the processing time required to cool the mass consisting of syrups based on hydrogenated isomaltulose alone. When working with a lab cooker on quantities of about 4 kg syrup, the cooling phase can easily be shortened with about 10 to 15 minutes compared to the cooling phase where hydrogenated isomaltulose syrups are applied solely. The processing time of the cooling phase of 4 kg syrup consisting of hydrogenated isomaltulose is about 40 to 60 minutes, while with the syrups of the current invention the processing time is shortened with 10 to 15 minutes.

The mass viscosity is measured directly after cooking with an oscillating sheardisc viscometer. The measurement is started at 135°C and the sample is cooled with constant rate of 2.8°C/ minute to 94°C and the measured values are recorded by means of a potentiometric line recorder. 10

The mass viscosity of hard candies prepared with hydrogenated isomaltulose is around 20,000 mPa.s at 94°C and hard candies prepared with hydrogenated isomerised saccharose have a mass viscosity of about 15,000 mPa.s. In comparison, the mass viscosity of Cth Maltidex C16510 (which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (Cth Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols)) is about 30,000 mPa.s at 94°C. This increased mass viscosity results in improved workability and the cooling time is reduced with 10 to 15 minutes when working in a lab cooker of 4 kg scale.

Applying syrups, which are obtained by the hydrogenation of starch hydrolysates and isomaltose or 'isomerised' saccharose wherein the dry substance of starch hydrolysate contains less than 22% w/w higher oligomers, results in hard candies having a mass viscosity below 25,000 mPa.s, namely about 23,600 mPa.s.

Hard candies with a mass viscosity of at least 25,000 mPa.s, preferably higher than 27,000 give good workability and significant reduction of the processing time of the cooling phase. The time to reach the appropriate viscosity before moulding, is shortened with one quarter of the total cooling time of syrups based on hydrogenated isomaltulose alone. Furthermore, by applying the syrups of the current invention not only the mass viscosity but also the plasticity of the mass is improved during processing.

The feedstock for preparing hard candies of the present invention may comprise between 10 to 35 % by weight of water based on the weight of the mixture, most often about 30% by weight water. This feedstock is heated to an elevated temperature until a product is obtained which preferably contains less than 5% by weight water, more preferably less than 4%, more preferably less than 2% by weight or less, based upon the weight of the candy.

Furthermore the polyol-containing feedstock of the present invention also may include flavour and/or colouring matter or any other additive commonly found in hard candy products.

The candy stickiness test is performed with the Texture Analyser TA-XT2 from Stable Micro Systems. The stickiness measurement can be done by storing the candy several minutes to hours at specific conditions of humidity and temperature and the more sticky the candy the higher the adhesive force becomes. The confectionery hygroscopicity is measured in a microclimate chamber with an accurate regulation system having the possibility to create conditions of temperature from 10°C to 98°C and relative humidity from 10 to 95%. The moisture pick-up of the samples placed in the microclimate chamber stored under specific conditions of temperature and humidity is calculated from the difference in weight of the samples after a specific storage time.

Hard candies prepared with hydrogenated isomaltulose give a stickiness of 175 g (after 10 minutes cooling) at 21°C and 52% relative humidity (RH), while hard candies prepared with C\$\frac{10}{10}\$ Maltidex C16510 (which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (C\$\frac{10}{10}\$ Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols) have under similar conditions a candy surface stickiness of 171 g.

Applying syrups, which are obtained by the hydrogenation of starch hydrolysates and isomaltose or 'isomerised' saccharose wherein the dry substance of starch hydrolysate contains less than 22% w/w higher oligomers, gives hard candies with surface stickiness (21°C at 52% RH after 10 minutes cooling) of 215 g.

Stickiness of hard candies prepared from hydrogenated isomerised saccharose is determined as being 173 g at 21°C (10 minutes cooling) and 49% RH. Under the same conditions, hard candies prepared with C\$\frac{1}{2}\$ Maltidex C16510 (which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (C\$\frac{1}{2}\$ Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols) have a candy surface stickiness of 167g.

Surprisingly the surface stickiness of hard candies prepared with C\$\pi\$ Maltidex C16510 is at least as low as the candy surface stickiness of hard candies prepared with

hydrogenated isomaltulose and is even better than surface stickiness of hard candies prepared with hydrogenated isomerised saccharose. Using syrups, which are obtained by the hydrogenation of mixtures comprising starch hydrolysate with less than 22% w/w higher oligomers, results in more sticky hard candies.

Relative humidity below 50% and 22-23°C are ideal conditions to store demoulded hard candies prepared with C\$\frac{1}{12}\$ Maltidex C16510, (which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (C\$\frac{1}{12}\$ Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols). Under these conditions the candy surface stickiness should not exceed 200 g, preferably is not higher than 180 g.

The corresponding hygroscopicity (moisture pick-up) is slightly increased from 0.48% to 1.2% (after 14 days at 70% RH and 25°C) for hard candies prepared with hydrogenated isomaltulose and hard candies prepared with CAMaltidex C16510 (which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (CAMaltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols), respectively. This increase is insignificant if one considers that moisture pick-up of candies prepared with hydrogenated starch hydrolysate syrups goes up to 11%. The hygroscopicity of hard candies, which are prepared with syrups obtained by the hydrogenation of starch hydrolysates and isomaltose or 'isomerised' saccharose wherein the dry substance of starch hydrolysate contains less than 22% w/w higher oligomers, is about 1.15%. In general a moisture pick-up less than 5% after 14 days is regarded as acceptable.

Due to the low hygroscopicity of the hard candies prepared with C\$\pi\$ Maltidex C16510 (which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (C\$\pi\$ Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated

starch hydrolysate is comprising between 22% and 31% w/w higher polyols), the shelf life is correspondingly increased.

The telemetry technique is used to determine cariogenicity and continuously records plaque pH changes in vivo at the enamel-plaque interface and the plaque accumulates on the inserted glass electrode. If the plaque pH stays on the "alkaline side" of 5.7 within 30 minutes after consumption, the food can be labelled 'safe for teeth', or non-cariogenic. Hard candies prepared with C\$\pi\$ Maltidex C16510 have pH 6 in the telemetric method and are thus non-cariogenic.

The present invention results in non-hygroscopic, non-sticky, non-cariogenic hard candies with mass viscosity of at least 25,000 mPa.s, a candy surface stickiness below 180 g (50% RH, 22-23°C) and moisture pick-up (hygroscopicity at 70% R.H and 25°C) below 1.5%. Moreover as is well known the presence of maltitol improves the flavour release.

The present invention is illustrated by way of the following examples.

Example 1.

Cooking

4 kg C\$\times Maltidex C16510 (which is a syryp at 70% dry substance and consisting of 70/30 isomalt/hydrogenated starch hydrolysate mixture (= 70% hydrogenated isomaltulose powder (C\$\times Maltidex C16500) and 30% hydrogenated starch hydrolysate syrup added at commercial base (=70% dry substance) and wherein the dry substance of hydrogenated starch hydrolysate is comprising between 22% and 31% w/w higher polyols) and the composition of dry substance is 0.7 – 1.0 % w/w sorbitol, 10 - 12% w/w maltitol, 2.4 – 4.4% w/w maltotriitol, 4.6 – 6.6 % w/w higher polyols, 41.5 – 42.3 % w/w 6-O-α-D-glucopyranosyl-D-sorbitol (1,6 GPS), 35.3 – 36.8 % w/w 1-O-α-D-glucopyranosyl-D-mannitol (1,1 GPM)) was placed in the lab cooker without water addition. It was cooked under vacuum at 155°C during 5 minutes to reach an end-moisture of max. 1.6%.

Shaping

"Depositing" method

The cooked mass was cooled to 110-120°C and colour, flavour and acid were mixed in. The hot mass was dosed in Teflon coated aluminium moulds and allowed cooling further, followed by demoulding. After further cooling the hard candies were wrapped.

Characterisation

a) Viscosity of Hard Candies

The oscillating shear-disc viscosimeter consists of two discs, which are vertically installed and face each other in parallel.

The shear-disc, which is arranged above the oscillating sample disc, is connected with a torque-measuring device. The lower disc is connected with the drive and it oscillates at an adjustable frequency and with a constant oscillating angle. A digital temperature control is done for both discs by means of a circulation thermostat with heating capacity up to 210°C and cooling coil with a capacity up to 20°C.

A small sample of the mass was brought directly after cooking on the shear disc, both discs were tilted together, and oscillating was started. The measurement was started at 135°C and cooled with constant rate of 2.8°C/ minute to 94°C, and the measured values were recorded by means of a potentiometric line recorder.

The results are displayed in Table 1.

b) Confectionery Hygroscopicity

Microclimate Chamber

The microclimate chamber is made from a stainless steel interior, with conditioned air and diffused moisture injection microprocessor controlled. The door opening gives access to the total working space in which the samples are placed. The microprocessor achieves precise environmental control and the distinct advantage of rapid recovery after each door opening. By means of a fan and air guide walls, a forced but moderated air circulation ensures an even airflow over the samples.

PCT/EP00/06016 15

The moisture pick-up of the samples placed in the microclimate chamber stored at 70% relative humidity and at 25°C was calculated from the difference in weight of the samples after 14 days.

The results are displayed in table 1.

c) Candy Stickiness test

The candy stickiness test is performed with the Texture Analyser TA-XT2 from Stable Micro Systems.

A moulded candy having a diameter of 40 mm and 5 mm thickness was fitted at the lower jaw of the texture analyser base. A transparent foil loop of specific dimensions (100 mm length and 12 mm width) was fitted into the upper jaw and brought on the candy surface with a force of 40 g. The loop was then pulled away from the candy surface at high speed (10 mm/sec) and the adhesive force was measured. The stickiness measurements were done at 52% relative humidity at 21°C or at 49% relative humidity and 21°C.

The results are displayed in table 1.

Table 1

	Hard candy with C☆Maltidex C16510
Mass viscosity at 94°C (mPa.s):	30,000
Hygroscopicity (70% R.H, 25°C, after 14 days)	1.2%
Stickiness (at 52% RH, 21°C)	171 g

The viscosity is shown in Figure 1.

The confectionery hygroscopicity is displayed in Figure 2.

The more sticky the candy the higher the adhesive force (here expressed in g).

The hard candies have high mass viscosity, and are non-hygroscopic and non-sticky.

Telemetric method

The cariogenicity of hard candies prepared with C☆Maltidex C16510 is determined with the telemetric method.

The telemetry technique continuously records plaque pH changes *in vivo* at the enamel-plaque interface and the plaque accumulates on the inserted glass electrode. If the plaque pH stays on the "alkaline side" of 5.7 within 30 minutes after consumption, the food can be labelled 'safe for teeth', or non-cariogenic.

Figure 3 shows the telemetric evaluation of hard candies prepared with C☆Maltidex C16510, followed by sucrose intake.

After consumption of hard candies prepared with C☆Maltidex C16510 pH stays above 6 and the hard candies are thus non-cariogenic.

Example 2.

Cooking

4 kg syrup (d.s. = 70% and wherein the composition of dry substance is: 0.3-0.7 % w/w sorbitol, 6.3-8.4% w/w maltitol, 1.3 - 3.4% w/w maltotriitol, 2.7 - 4.7 % w/w higher polyols, 45.2 - 46.1 % w/w 6-O- α -D-glucopyranosyl-D-sorbitol (1,6 GPS), 38.4 - 40.1 % w/w 1-O- α -D-glucopyranosyl-D-mannitol (1,1 GPM)) was placed in the lab cooker without water addition. It was cooked under vacuum at 155° C during 5 minutes to reach an end-moisture of max. 1.5%.

Shaping of the hard candies was similar as in example 1. The hard candies were characterised by measuring the mass viscosity, hygroscopicity, and stickiness according to the methods described in example 1.

The obtained results are displayed in Table 2.

Table 2

	Hard candy with syrup of example 2
Mass viscosity at 94°C (mPa.s):	25,000
Hygroscopicity (70% R.H. 25°C. after 14 days)	0.96%
Stickiness (at 52% RH, 21°C)	176 g

The hard candies have high mass viscosity, and are non-hygroscopic and non-sticky.

Comparative example 1.

Cooking

4 kg hydrogenated isomaltulose powder (C☆ Maltidex C16500) was first mixed with 1.3 kg water and pre-heated to 90-100°C. Then the mixture was cooked up in the lab cooker under vacuum at 155°C during 5 minutes to reach an end-moisture of 1.6%.

Shaping of the hard candies was similar as in example 1. The hard candies were characterised by measuring the mass viscosity, hygroscopicity, and stickiness according to the methods described in example 1.

The obtained results are displayed in Table 3.

Table 3

	Hard candy with CAMaltidex C16500
Mass viscosity at 94°C (mPa.s):	20,000
Hygroscopicity (70% R.H, 25°C, after 14 days)	0.48%
Stickiness (at 52% RH, 21°C)	175 g
Stickiness (at 49% RH, 21°C)	167 g

The hard candies are non-hygroscopic, non-sticky but the mass viscosity is too low.

Comparative Example 2.

Cooking

4 kg hydrogenated starch hydrolysate syrup at 70% dry substance (C☆ Maltidex L16303, M16311 or H16323) was placed in the lab cooker without water addition. It was cooked under vacuum at 168°C during 5 minutes to reach an end-moisture of max. 1%.

Shaping of the hard candies was similar as in example 1. The hard candies were characterised by measuring the mass viscosity, hygroscopicity, and stickiness according to the methods described in example 1.

The obtained results are displayed in Table 4.

Table 4

	Hard candy with hydrogenated starch
	hydrolysate syrup
Mass viscosity at 94°C (mPa.s):	533,029
Hygroscopicity (70% R.H, 25°C, after 14 days)	11%

The hard candies are very hygroscopic.

Comparative Example 3.

Cooking

4 kg isomalt/hydrogenated starch hydrolysate syrup wherein the dry substance comprises below 22% w/w higher polyols (d.s. = 70% and dry substance consists of between 41.5-42.3% w/w 6-O- α -D-glucopyranosyl-D-sorbitol (1,6 GPS), between 35.3 – 36.8% w/w 1-O- α -D-glucopyranosyl-D-mannitol (1,1 GPM), between 0.8 – 1.0% w/w sorbitol, between 10.5 – 12.5% w/w maltitol, between 3.3 – 5.3% w/w maltotriitol, and between 3.1 – 5.1% w/w higher polyols) was placed in the lab cooker without water addition. It was cooked under vacuum at 155°C during 5 minutes to reach an end-moisture of max. 1.6%.

Shaping of the hard candies was similar as in example 1. The hard candies were characterised by measuring the mass viscosity, hygroscopicity, and stickiness according to the methods described in example 1.

The obtained results are displayed in Table 5.

Table 5

	Hard candy with syrup of comparative
	example 3
Mass viscosity at 94°C (mPa.s):	23,600
Hygroscopicity (70% R.H. 25°C, after 14 days)	1.15%
Stickiness (at 52% RH, 21°C)	215 g

The hard candies are non-hygroscopic, but sticky and the mass viscosity is too low.

Comparative Example 4.

Cooking

4 kg hydrogenated isomerised saccharose syrup (d.s. = 70% and dry substance comprises 43.6% 6-O- α -D-glucopyranosyl-D-sorbitol (1,6 GPS), 49.2% 1-O- α -D-glucopyranosyl-D-mannitol (1,1 GPM) and 3.1% 1-O- α -D-glucopyranosyl-D-sorbitol (1,1 GPS)) was placed in the lab cooker without water addition. It was cooked under vacuum at 155°C during 5 minutes to reach an end-moisture of max. 1.6%.

Shaping of the hard candies was similar as in example 1. The hard candies were characterised by measuring the mass viscosity, hygroscopicity, and stickiness according to the methods described in example 1.

The obtained results are displayed in Table 6.

Table 6

Hard candy with hydrogenated
'isomerised' saccharose
15,000
0.96%
173 g
_

The hard candies are non-hygroscopic, non-sticky, but the mass viscosity is too low.

Claims

- 1. A syrup at dry substance between 60% to 80%, preferably at dry substance of about 70% consisting of a mixture of hydrogenated starch hydrolysate syrup and isomalt powder or isomalt syrup characterised in that the dry substance of the syrup comprises 86% w/w isomalt, preferably between 85% w/w and 79% w/w isomalt, more preferably 75% w/w isomalt, and the dry substance of the hydrogenated starch hydrolysate syrup comprises between 22% w/w and 55% w/w higher polyols, preferably between 25% w/w and 50% w/w higher polyols.
- 2. A syrup according to claim 1 characterised in that the dry base of the syrup consists of between:

```
7 % w/w to 52% w/w 6-O-α-D-glucopyranosyl-D-sorbitol (1,6 GPS),
24.5% w/w to 52% w/w 1-O-α-D-glucopyranosyl-D-mannitol (1,1 GPM),
0% w/w to 52% w/w 1-O-α-D-glucopyranosyl-D-sorbitol (1,1 GPS),
0% w/w to 1.3% w/w sorbitol (DP<sub>1</sub>),
2.8% w/w to 13.8% w/w maltitol (DP<sub>2</sub>),
1.5% w/w to 4.2% w/w maltotriitol (DP<sub>3</sub>),
```


3. A sugar-free non-cariogenic hard candy comprising a syrup according to claim 1 or 2.


3.0% w/w to 13.5% w/w higher polyols (DP_n).

- 4. A sugar-free non-cariogenic hard candy according to claim 3 characterised in that the mass viscosity is at least 25,000 mPa.s, and that the candy surface stickiness is below 180 g (50% RH, 22-23°C) and the moisture pick-up (hygroscopicity at 70% R.H and 25°C) after 14 days is below 1.5%.
- 5. A process for the production of a sugar-free non-cariogenic hard candy comprising the following steps:
 - a) preparing a syrup at dry substance between 60% to 80% consisting of a mixture of hydrogenated starch hydrolysate syrup and isomalt powder or


isomalt syrup characterised in that the dry substance of the syrup comprises 86% w/w isomalt, preferably between 85% w/w and 79% w/w isomalt, more preferably 75% w/w isomalt, and the dry substance of the hydrogenated starch hydrolysate syrup comprises between 22% w/w and 55% w/w higher polyols, preferably between 25% w/w and 50% w/w higher polyols,

- b) cooking at a temperature between 145°C and 170°C and low vacuum, and
- c) shaping according to stamping or deposit method.
- 6. A process according to claim 5 characterised in that flavour and/or colouring matter is added during shaping.
- 7. A process according to claim 5 or 6 characterised in that the syrup comprises between 10 to 35% by weight water.
- 8. A process according to anyone of claims 5 to 7 characterised in that the water content of the hard candy is less than 4% by weight, preferably less than 2% by weight or less, based upon the weight of the hard candy.





SUBSTITUTE SHEET (RULE 26)



INTERNATIONAL SEARCH REPORT

Intern val Application No PCT/EP 00/06016

	· · · · · · · · · · · · · · · · · · ·		
A CLASSI IPC 7	FICATION OF SUBJECT MATTER A23G3/00 A23G3/02 A23G3	/30 A23L1/236	
According to	o International Patent Classification (IPC) or to both national clas	ssification and IPC	
B. FIELDS	SEARCHED		
Minimum do IPC 7	ocumentation searched (classification system followed by classi A23G A23L	fication symbols)	
Documenta	tion searched other than minimum documentation to the extent t	that such documents are included in the fields so	earched
Electronic d	data base consulted during the international search (name of da	ta base and, where practical, search terms used	i)
EPO-In	ternal, WPI Data, PAJ, FSTA		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the	ne relevant passages	Relevant to claim No.
Y	FRITZSCHING, B.: "Isomalt in applications." MANUFACTURING CONFECTIONER., vol. 75, no. 11, 1995, pages 6 XP000862872 CHICAGO, IL., US		1,5-8
	ISSN: 0163-4364 cited in the application page 67, column 2 -column 3 page 69, column 1 page 70, column 1 -page 71, co figure 7 figure 8	1umn 3;	
		-/	
χ Fur	ther documents are listed in the continuation of box C.	Patent family members are listed	in annex.
<u> </u>	ategories of cited documents :	T* later document published after the inte	
consi "E" earlier	nent defining the general state of the art which is not idered to be of particular relevance document but published on or after the international	or priority date and not in conflict with cited to understand the principle or th invention "X" document of particular relevance; the of	the application but eory underlying the claimed invention
which citation "O" docum	unter which may throw doubts on priority claim(s) or n is cited to establish the publication date of another on or other special reason (as specified) nent referring to an oral disclosure, use, exhibition or means	cannot be considered novel or cannol involve an inventive step when the do "Y" document of particular relevance; the cannot be considered to involve an indocument is combined with one or ments, such combination being obvio	ocument is taken alone claimed invention eventive step when the ore other such docu-
"P" docum	nent published prior to the international filing date but than the priority date claimed	in the art. *&* document member of the same patent	•
	e actual completion of the international search ,	Date of mailing of the international sea	arch report
	9 November 2000	17/11/2000	
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patendaan 2 NL – 2280 HV Rijswijk	Authorized officer	
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Heezius, A	

2

INTERNATIONAL SEARCH REPORT

Intern pal Application No PCT/EP 00/06016

C (Continue	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	RALEIGH W: "HSH as a bulking agent in confections." MANUFACTURING CONFECTIONER., vol. 75, no. 11, 1995, pages 57-59, XP000957699 CHICAGO, IL., US ISSN: 0163-4364 page 57, right-hand column, paragraph 3 -page 58, right-hand column, paragraph 2 page 58, right-hand column, paragraph 2 -page 59, left-hand column, paragraph 4; figure 3	1,5-8
A	DE 42 28 278 A (SIGRIST, E.) 20 January 1994 (1994-01-20) cited in the application column 1, line 66 -column 2, line 28; claims 1-3	1,3
А	EP 0 788 744 A (LOTTE CO. LTD) 13 August 1997 (1997-08-13) cited in the application page 3, line 25 - line 31; claims 9-11; example 8	1,3
A	EP 0 500 977 A (ZOSTER, S.A.) 2 September 1992 (1992-09-02) cited in the application example 4	1,3
А	US 5 578 339 A (KUNZ ET AL.) 26 November 1996 (1996-11-26) claims 1-6,21,22	1,3
Α	HÖRLEIN L.: "Production of low-calorie strawberry jam pleasant in taste and suitable for diabetics using both acesulfame-K and aspartame." INDUSTRIELLE OBST- UND GEMUESEVERWERTUNG, vol. 80, no. 1, 1995, page 2-7 XP000863024 WOLFSBURG, DE ISSN: 0367-939X page 3, column 1	1,3
A	EP 0 390 299 A (TOWA CHEMICAL INDUSTRY CO. LTD.) 3 October 1990 (1990-10-03) page 3, line 31 - line 40 page 3, line 52 - line 53	1,3
A	EP 0 504 924 A (HOECHST AKTIENGESELLSCHAFT) 23 September 1992 (1992-09-23) column 2, line 15 - line 28; claims 1-4,8,10	1-9

INTERNATIONAL SEARCH REPORT

....urmation on patent family members

Intern: al Application No PCT/EP 00/06016

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
DE 4228278	Α	20-01-1994	СН	684148 A	29-07-1994
NE 4220210 N	^	20 01 1331	FR	2693631 A	21-01-1994
			NL	9301254 A	16-02-1994
EP 788744		13-08-1997	 JP	9252723 A	30-09-1997
21 7007 14	•		AU	1019297 A	24-07-1997
			BR	9700121 A	22-09-1998
			CA	2195350 A	19-07-1997
			CZ	9700153 A	13-08-1997
			HU	9700164 A	28-10-1997
			NZ	314082 A	26-05-1997
			PL	318004 A	21-07-1997
			RU	2142711 C	20-12-1999
			US	5711982 A	27-01-1998
EP 500977	Α	02-09-1992	DE	69111050 D	10-08-1995
21 300377	••		DE	69111050 T	23-11-1995
			US	5300309 A	05-04-1994
US 5578339	Α	26-11-1996	AT	140032 T	15-07-1996
00 00,000			AU	666073 B	25-01-1996
			AU	6194094 A	10-11-1994
			DE	9321600 U	06-04-2000
			DE	59303142 D	08-08-1996
			DK	625578 T	11-11-1996
			EP	0625578 A	23-11-1994
			ES	2089691 T	01-10-1996
			GR	3020742 T	30-11-1996
			IL	109569 A	10-03-1998
			JP	7051079 A	28-02-1995
EP 390299		03-10-1990	AT	91389 T	15-07-1993
El 330E33			DE	69002177 D	19-08-1993
			DE	69002177 T	28-10-1993
			JP	2257848 A	18-10-1990
			JP	2000078954 A	21-03-2000
EP 504924	Α	23-09-1992	CA	2063645 A	23-09-1992
			JP	5262782 A	12-10-1993